

devolo WiFi 6 Repeater 3000

Technical Data



Wi-Fi 6



1 x Gigabit LAN



Mesh Wi-Fi



Crossband



Multi-User-MIMO



OFDMA



Ports

Ethernet	1x RJ45
Plug	Type C (CEE 7/16) Type G (BS1363)

Wi-Fi

Standards	Wi-Fi 4/5/6 (IEEE 802.11 a/b/g/n/ac/ax/k/v/r)
Radios	2,4 GHz + 5 GHz Dual Band Dual concurrent
Channels	2,4 GHz 1–13 5 GHz 36–48 (Indoor) 52–64 (DFS+TPC) 100–140 (DFS+TPC)
Channel widths	20/40/80/160 MHz
Streams	2x2 Multi-User-MIMO
Data rates	2,4 GHz up to 574 Mbps 5 GHz up to 2402 Mbps
Mode	Crossband Inband

Ethernet

Standards	IEEE 802.3 u/ab/x/az
Transmission speeds	10/100/1.000 Mbps
Auto MDI-X	Yes
QoS	Yes
IPv4 / IPv6	Yes / Yes

Buttons / LEDs

ADD (Button)	WPS
Status / signal strength indicator (LEDs)	Status of the repeater / signal strength of the Wi-Fi connection to the router
Reset (Button)	Reset Settings
LEDs switchable	Yes

Software Features

Guest Wi-Fi	AP only
Wi-Fi timing	Yes
Parental lock	Yes
Mesh Wi-Fi	Yes
Airtime Fairness	Yes
Access Point Steering	Yes
Fast Roaming	Yes
Band Steering	Yes
Wi-Fi encryption	WPA/WPA2/WPA3 Personal
WPS	PBC

Administration

Device website	Yes (Internet browser)
Home Network App	Yes (iOS/Android)
Cockpit software	Yes (Windows/MacOS/Linux)

Environment and physical data

Power consumption	Maximum: 9.7 W Typical: 6.1 W
Power supply	100–240 V (50/60 Hz)
Temperature (Storage • Operating)	-25°C to 70°C • 0°C to 40°C
Dimensions (in mm, without socket)	71 x 149 x 45
Ambient conditions	10–90 % Humidity (non-condensing)

Sales information

Warranty (in years)	3
Accessories	Documentation: Printed Install Flyer



08960
(DE, AT, FR, BE, NL, ES, PT, CH, PL, EU)

EAN	4250059689602
Weight	511 g
Dimensions	190x118x92

Disposal Instructions

WEEE	300 g
Paper	175 g
Plastic	2 g
other	0 g